

AO kit in ultra high intensity LASER

“22 W average power multiterawatt femtosecond laser chain enabling 10^{19} W/cm² at 100 Hz”

R. Clady, Y. Azamoum, L. Charmasson, A. Ferré, O. Utéza, M. Sentis
Applied Physics B (2018) 124:89
<https://doi.org/10.1007/s00340-018-6958-1>

“Thermal lensing measurements of Ti: Sapphire crystal pumped at 80 MHz picosecond pulses by Shack-Hartmann wavefront sensor”

Mukhtar Hussain, Tayyab Imran, Adam Borzsonyi
arXiv.org/physics/arXiv:1804.04443

“Impact of the pulse contrast ratio on molybdenum K_α generation by ultrahigh intensity femtosecond laser solid interaction”

Y. Azamoum, V. Tcheremiskine, R. Clady, A. Ferré, L. Charmasson, O. Utéza and M. Sentis
Scientific Reports 8, 4119 (2018)
<https://doi.org/10.1038/s41598-018-22487-3>

“Thermal lensing compensation in the development of 30 fs pulse duration chirped pulse amplification laser system and single-shot intensity-phase measurement”

T. Imran and M. Hussain
Acta Physica Polonica A 133, 1 (2018)
<https://doi.org/10.12693/APhysPolA.133.28>

“Efficient picosecond x-ray pulse generation from plasmas in the radiation dominated regime”

R. Hollinger, C. Bargsten, V.N. Shlyaptsev, V. Kaymak, A. Pukhov, M. G. Capeluto, S. Wang, A. Rockwood, Y. Wang, A. Townsend, A. Prieto, P. Stockton, A. Curtis and J. J. Rocca
Optica 4, 11 (2017)
<https://doi.org/10.1364/OPTICA.4.001344>

“New Adaptive Optics Control Strategy for Petawatt-Class Laser Chains”

N. Varkentina, G. Dovillaire, J. Legrand, G. Beaugrand, I. Stefanon, P. Treimany and X. Lev-ecq
Quantum Electronics 47, 711 (2017)
<https://doi.org/10.1070/QEL16429>

“The compact x-ray source ThomX”

L. Amoudry, K. Cassou, K. Dupraz, A. Martens, H. Monard, F. Zomer and P. Favier

Proc. SPIE 10387, 1038708 (2017)

<https://doi.org/10.1117/12.2280921>

“53 W average power CEP-stabilized OPCPA system delivering 5.5 TW few cycle pulses at 1 kHz repetition rate”

R. Budriūnas, T. Stanislauskas, J. Adamonis, A. Aleknavičius, G. Veitas, D. Gadonas, S. Balickas, A. Michailovas and A. Varanavičius

Optics Express 25, 5797-5806 (2017)

<https://doi.org/10.1364/OE.25.005797>

“Diagnostics, control and performance parameters for the BELLA high repetition rate petawatt class laser”

K. Nakamura, H.-S. Mao, A. J. Gonsalves, H. Vincenti, D. E. Mittelberger, J. Daniels, A. Magana, C. Toth and W. P. Leemans

IEEE Journal of Quantum Electronics 53, 1200121 (2017)

<https://doi.org/10.1109/JQE.2017.2708601>

“Approaching the diffraction-limited, bandwidth-limited Petawatt”

A. S. Pirozhkov, Y. Fukuda, M. Nishiuchi, H. Kiriya, A. Sagisaka, K. Ogura, M. Mori, M. Kishimoto, H. Sakaki, N. P. Dover, K. Kondo, N. Nakani, K. Huang, M. Kanasaki, K. Kondo and M. Kando

Opt. Express 25, 20486-20501 (2017)

<https://doi.org/10.1364/OE.25.020486>

“High-quality spatial modes for petawatt-class lasers”

H.-S. Mao, K. Nakamura, A. J. Gonsalves, Cs. Tóth and W. P. Leemans

AIP Conference Proceedings 1777, 110003 (2016)

<https://doi.org/10.1063/1.4965692>

“100 J-level nanosecond pulsed diode pumped solid state laser”

S. Banerjee, P. D. Mason, K. Ertel, P. J. Phillips, M. De Vido, O. Chekhlov, M. Divoky, J. Pilar, J. Smith, T. Butcher, A. Lintern, S. Tomlinson, W. Shaikh, C. Hooker, A. Lucianetti, C. Hernandez-Gomez, T. Mocek, C. Edwards and J.L. Collier

Optics Letters, 41, 2089 (2016)

<http://dx.doi.org/10.1364/OL.41.002089>

“Diffraction limited focal spot in the interaction chamber using phase retrieval adaptive optics”

N. Lefaudeux, E. Lavergne, S. Monchoce and X. Levecq

Proc. SPIE 8960, 89601R-1 (2014)

<http://dx.doi.org/10.1117/12.2037214>

“Multi-GeV Electron Beams from Capillary-Discharge-Guided Subpetawatt Laser Pulses in the Self-Trapping Regime”

W. P. Leemans, A. J. Gonsalves, H.-S. Mao, K. Nakamura, C. Benedetti, C. B. Schroeder, Cs. Tóth, J. Daniels, D. E. Mittelberger, S. S. Bulanov, J.-L. Vay, C. G. R. Geddes and E. Esarey
Phys. Rev. Lett. 113, 245002 (2014)
<https://doi.org/10.1103/PhysRevLett.113.245002>

“Large deformable mirrors for beam control of high brightness lasers”

N. Lefaudeux, X. Levecq, L. Escolano and S. Theis
Proc. SPIE 8600, 86000W (2013).
<https://doi.org/10.1117/12.2001841>

“New deformable mirror technology and associated control strategies for ultra-high intensity laser beam corrections and optimizations”

N. Lefaudeux, X. Levecq, G. Dovillaire, S. Theis and L. Escolano
Proc. SPIE 8236, 82360K (2012)
<https://doi.org/10.1117/12.907180>

“Development of a new technology of deformable mirror for ultra-intense laser applications”

N. Lefaudeux, X. Levecq, G. Dovillaire, J. Ballesta, E. Lavergne, P. Sauvageot and L. Escolano
Nuclear Instruments and Methods in Physics Research A 653, 164–167 (2011)
<https://doi.org/10.1016/j.nima.2010.12.117>

“Development of the 50 TW laser for joint experiments with 1 MA z-pinches”

P. P. Wiewior, V. V. Ivanov and O. Chalyy
J. Physics: Conference Series 244 (2010) 032013
<https://doi.org/10.1088/1742-6596/244/3/032013>

“Ultra-high intensity 300-TW laser at 0.1 Hz repetition rate”

V. Yanovsky, V. Chvykov, G. Kalinchenko, P. Rousseau, T. Planchon, T. Matsuoka, A. Maksimchuk, J. Nees, G. Cheriaux, G. Mourou and K. Krushelnick
Optics Express 16, 2109-2114 (2008)
<https://doi.org/10.1364/OE.16.002109>

“Two-dimensional organization of a large number of stationary optical filaments by adaptive wave front control”

C. Hauri, J. Gautier, A. Trisorio, E. Papalazarou and P. Zeitoun
Appl. Phys. B. 90, 391 (2008)
<https://doi.org/10.1007/s00340-007-2906-1>

“Wavefront correction and aberrations pre-compensation in the middle of Petawatt-class CPA laser chains”

F. Canova, L. Canova, J.-P. Chambaret, X. Levecq, E. Lavergne, G. Dovillaire and T. A. Planchon

Las. and Electro-Opt. and Int. Quant. Electron. Conf. CLEOE-IQEC (2007)

<https://doi.org/10.1109/CLEOE-IQEC.2007.4386353>

“Adaptive shaping of a focused intense laser beam into a doughnut mode”

O. Boyko, T. A. Planchon, P. Mercère, C. Valentin and Ph. Balcou

Opt. Comm. 246, 131 (2005)

<https://doi.org/10.1016/j.optcom.2004.10.064>

“Importance of spatial quality of intense femtosecond pulses”

S. Ranc, G. Chériaux, S. Ferré, J.-P. Rousseau and J.-P. Chambaret

Appl. Phys. B. 70, 181 (2000)

<https://doi.org/10.1007/s003400000318>