

Wavefront sensing in the X-EUV

“Kirkpatrick-Baez active optics system at FERMI: system performance analysis”

L. Raimondi, M. Manfredda, N. Mahne, D. Cocco, F. Capotondi, E. Pedersoli, M. Kiskinova, M. Zangrando

Journal of Synchrotron Radiation, 26 (2019)

<https://doi.org/10.1107/S1600577519007938>

“Single-shot extreme-ultraviolet wavefront measurements of high-order harmonics”

H. Dacasa, H. Coudert-Alteirac, C. Guo, E. Kueny, F. Campi, J. Lahl, J. Peschel, H. Wikmark, B. Major, E. Malm, D. Alj, K. Varjú, C. L. Arnold, G. Dovillaire, P. Johnsson, A. L’Huillier, S. Maclot, P. Rudawski, and P. Zeitoun

Optics Express 27, 3, 2656 (2019)

<https://doi.org/10.1364/OE.27.002656>

“Non-contact XUV metrology of Ru/B₄C multilayer optics by means of Hartmann wavefront analysis”

M. Ruiz-Lopez, H. Dacasa, B. Mahieu, M. Lozano, L. Li, P. Zeitoun, and D. Bleiner

Applied Optics 57, 6, 1315-20 (2018)

<https://doi.org/10.1364/AO.57.001315>

“Developments of EUV/X-ray wavefront sensors and adaptive optics at Imagine Optic”

O. de La Rochefoucault, S. Bucourt, D. Cocco, G. Dovillaire, F. Harms, M. Idir, D. Korn, X. Levecq, A. Marmin, L. Nicolas, M. Piponnier, L. Raimondi, P. Zeitoun

Proc. SPIE 10761, Adaptive X-Ray Optics V, 107610E (2018)

<https://doi.org/10.1117.12.2320927>

“Advances in X-Ray optics : From metrology characterization to wavefront sensing-based optimization of active optics”

D.Cocco, M. Idir, D. Morton, L. Raimondi, M. Zangrando

Nuclear Inst. And Methods in Physics Research, A (2018)

<https://doi.org/10.1016/j.nima.2018.03.026>

“Hartmann wavefront sensor characterization of a high charge vortex beam in the XUV spectral range”

F. Sanson, A. K. Pandey, F. Harms, G. Dovillaire, E. Baynard, J. Demailly, O. Guilbaud, B. Lucas, O. Neveu, M. Pittman, D. Ros, M. Richardson, E. Johnson, W. Li, Ph. Balcou, and S. Kazamias

Optics Letter Vol.43, issue 12, pp 2780-2783

<https://doi.org/10.1364/OL.43.002780>

“Micro-focusing of broadband high-order harmonic radiation by a double toroidal mirror”

H. Coudert-Alteirac, H. Dacasa, F. Campi, E. Kueny, B. Farkas, F. Brunner, S. Maclot, B. Manschwetus, H. Wikmark, J Lahl, L. Rading, J. Pesche , B. Major , K. Varjú, G. Dovillaire , P. Zeitoun, P. Johnsson, A. L’Huillier and P. Rudawski

Applied Sciences 7, 1159 (2017)

<http://www.mdpi.com/2076-3417/7/11/1159>

“Optimization and characterization of high-harmonic generation for probing solid density plasmas”

J. C. P. Koliyadu, S. Künzel, T. Wodzinski, B. Keitel, J. Duarte, G.O. Williams, C. P. João, H. Pires, V. Hariton, M. Galletti, N. Gomes, G. Figueira, J. Mendanha Dias, N. Lope, P. Zeitoun, E. Plönjes and M. Fajardo

Photonics 4, 25 (2017)

<http://www.mdpi.com/2304-6732/4/2/25/htm>

“Tunable orbital angular momentum in high-harmonic generation”

D. Gauthier, P. Rebernik Ribic, G. Adhikary, A. Camper, C. Chappuis, R. Cucini, L.F. DiMauro, G. Dovillaire, F. Frassetto, R. Géneaux, P. Miotti, L. Poletto, B. Resse, C. Spezzan, M. Stupar, T. Ruchon and G. De Ninno

Nature Communications 8,14971 (2017)

<https://www.nature.com/articles/ncomms14971>

“Spatial properties of odd and even low order harmonics generated in gas”

G. Lambert, A. Andreev, J. Gautier, L. Giannessi, V. Malka, A. Petralia, S. Sebban, S. Stremoukhov, F. Tissandier, B. Vodungbo and P. Zeitoun

Scientific Report 5, 7786 (2015)

<https://www.nature.com/articles/srep07786>

“Shot-to-shot intensity and wavefront stability of high-harmonic generation”

S. Künzel, G. O. Williams, W. Boutu, E. Galtier, B. Barbrel, H. J. Lee, B. Nagler, U. Zastra, G. Dovillaire, R. W. Lee, H. Merdji, Ph. Zeitoun and M. Fajardo

Applied Optics 54, 4745 (2015)

<https://www.osapublishing.org/ao/abstract.cfm?uri=ao-54-15-4745>

“Impact of wave front and coherence optimization in coherent diffractive imaging”

X. Ge, W. Boutu, D. Gauthier, F. Wang, A. Borta, B. Barbreil, M. Ducouso, A. I. Gonzalez, B. Carré, D. Guillaumet, M. Perdrix, O. Gobert, J. Gautier, G. Lambert, F. R. N. C. Maia, J. Hajdu, P. Zeitoun and H. Merdji,

Optics Express 21, 11441 (2013)

<https://www.osapublishing.org/oe/abstract.cfm?uri=oe-21-9-11441>

“Microfocusing of the FERMI@Elettra FEL beam with a K-B active optics system: spot size predictions by application of the WISE code”

L. Raimondi, C. Svetina, N. Mahne, D. Cocco, A. Abrami, M. De Marco, C. Fava, S. Gerusina, R. Gobessi, F. Capotondi, E. Pedersoli, M. Kiskinova, G. De Ninno, P. Zeitou, G. Dovillaire, G. Lambert, W. Boutu, H. Merdji, A. I. Gonzalez, D. Gauthier and M. Zangrando

Nuclear Instruments and Methods in Physics Research 710, 131 (2013)

<http://www.sciencedirect.com/science/article/pii/S0168900212013769>

“Wavefront improvement in an injection-seeded soft x-ray laser based on a solid-target plasma amplifier”

L. Lu, Y. Wang, S. Wang, E. Oliva, L. Yin, T.T. Le, S. Daboussi, D. Ros, G. Maynard, S. Sebban, B. Hu, J. J. Rocca, and P. Zeitoun

Optics Letters 38, 4011 (2013)

<https://doi.org/10.1364/OL.38.004011>

“Method of time resolved refractive index measurements of x-ray laser heated solids”

G. O. Williams, H.-K. Chung, S. M. Vinko, S. Künze, A. B. Sardinha, P. Zeitoun, and M. Fajardo

Physics of Plasmas 20, 042701 (2013)

<http://aip.scitation.org/doi/10.1063/1.4794964>

“Aberration-free high-harmonic source generated with a two-colour field”

G. Lambert, F. Tissandier, J. Gautier, C. P. Hauri, P. Zeitoun, C. Valentin, T. Marchenko, J.-P. Goddet, M. Ribièrè, A. Sardinha, M. Fajardo, F. Hamouda, G. Maynard, G. Rey and S. Sebban

European Physics Letters 89, 24001 (2010)

<http://iopscience.iop.org/article/10.1209/0295-5075/89/24001/meta>

“Spatial characterization of SASE-FEL of SCSS Test Accelerator”

P. Mercère, R. Bachelard, M.-E. Couprie, M. Idir, O. Chubar, J. Gautier, G. Lambert, P. Zeitoun, S. Bucourt, G. Dovillaire, X. Levecq, H. Kimura, H. Ohashi, T. Hara, A. Higashiya, T. Ishikawa, M. Nagasono and M. Yabashi

Proceedings of FEL2009, Liverpool, UK, 702 (2009)

<http://www.ifsc.usp.br/~bachelard/ipubli.htm>

“Optimization of the wave front of high order harmonics”

J. Gautier, P. Zeitoun, C. Hauri, A.-S. Morlens, G. Rey, C. Valentin, E. Papalazarou, J.-P. Goddet, S. Sebban, F. Burgy, P. Mercère, M. Idir, G. Dovillaire, X. Levecq, S. Bucourt, M. Fajardo, H. Merdj and J.-P. Caumes

The European Physical Journal D, 48, 459 (2008)

<https://link.springer.com/article/10.1140/epjd/e2008-00123-2>

“High-order harmonic wave fronts generated with controlled astigmatic IR laser”

C. Valentin, J. Gautier, J.-P. Goddet, C. Hauri, T. Marchenko, E. Papalazarou, G. Rey, S. Sebban, O. Scrick, P. Zeitoun, G. Dovillaire, X. Levecq, S. Bucourt and M. Fajardo

J. Opt. Soc. Am. B, 25, B161 (2008)

<https://www.osapublishing.org/josab/abstract.cfm?uri=josab-25-7-B161>

“Automatic alignment of a Kirkpatrick–Baez active optic by use of a soft-x-ray Hartmann wavefront sensor”

P. Mercère, M. Idir, T. Moreno, G. Cauchon, G. Dovillaire, X. Levecq, L. Couvel, S. Bucourt and P. Zeitoun

Optics Letter 31, 199 (2006)

<https://www.osapublishing.org/ol/abstract.cfm?uri=ol-31-2-199>

“Wavefront observation at FLASH”

M. Kuhlmann, E. Plönjes, K. Tiedtke, S. Toilekis, P. Zeitoun, J. Gautier, T. Lefrou, D. Douillet, P. Mercère, G. Dovillaire, X. Levecq, S. Bucourt and M. Fajardo

Proceedings of FEL2006, BESSY, Berlin, Germany, 794 (2006)

<https://accelconf.web.cern.ch/accelconf/f06/PAPERS/FRAAU03.PDF>

"Hartmann wave-front measurement at 13.4 nm with $\lambda_{\text{EUV}}/120$ accuracy"

P. Mercère, P. Zeitoun, M. Idir, S. Le Pape, D. Douillet, X. Levecq, G. Dovillaire, S. Bucourt, K. A. Goldberg, P. P. Naulleau and S. Rekawa

Optics Letters 28, 1534 (2003)

<https://www.osapublishing.org/ol/abstract.cfm?uri=ol-28-17-1534>

X-ray mirror metrology with the HASO

"A 2 D high accuracy slope measuring system based on a stitching Shack Hartmann optical head"

M. Idir, K. Kaznatcheev, G. Dovillaire, J. Legrand, and R. Rungsawang

Optics Express 22, 2770 (2014)

<https://www.osapublishing.org/oe/abstract.cfm?uri=oe-22-3-2770>

"Ex- and in-situ metrology based on the Shack-Hartmann technique for sub-nanometric metrology"

M. Idir, G. Dovillaire and P. Mercere

Synchrotron Radiation News 26, 23 (2013)

<http://www.tandfonline.com/doi/abs/10.1080/08940886.2013.832587>

"A 2D optical slope measuring tool for x-ray mirrors "

M. Idir and G. Dovillaire

SPIE Newsroom (2013).

<https://doi.org/10.1117/2.1201310.005171>

"Hartmann and Shack-Hartmann wavefront sensors for sub-nanometric M metrology"

P. Mercère, M, Idir, J. Floriot and X. Levecq

Modern Developments in X-Ray and Neutron Optics pp 219-232 (2008).

https://link.springer.com/chapter/10.1007/978-3-540-74561-7_15

ILAO for X-ray source

“Optics-less focusing of XUV high-order harmonics”

L. Quintard, V. Strelkov, J. Vabek, O. Hort, A. Dubrouil, D. Descamps, F. Burgy, C. Péjot, E. Mével, F. Catoire, E. Constant
Sci. Adv. 5, eaau7175 (2019).

<https://doi.org/10.1126/sciadv.aau7175>

“Efficient picosecond x-ray pulse generation from plasmas in the radiation dominated regime”

R. Hollinger, C. Bargsten, V. Shlyaptsez, V. Kaymak, A. Pukhov, M. G. Capeluto, S. Wang, A. Rockwood, Y. Wang, A. Townsend, A. Prieto, P. Stockton, A. Curtis, J. J. Rocca
Optica, 4, 11, 1344-49 (2017)

<https://doi.org/10.1364/OPTICA.4.001344>

“The compact x-ray source ThomX”

P. Favier, L. Amoudry, K. Cassou, K. Dupraz, A. Martens, H. Monard and F. Zomer
Proc. SPIE Vol. 10387, 1038708 (2017)

<https://doi.org/10.1117/12.2280921>